

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((subscriber\$6 adj (ident\$6) adj module) or (sim)) (duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:34
L2	8	US-20040012615-A1.did. OR US-20040049533-A1.did. OR US-20040049419-A1.did. OR US-20040080538-A1.did. OR US-20040192386-A1.did. OR US-20040192281-A1.did. OR US-20040253975-A1.did. OR US-20060107227-A1.did.	US-PGPUB; USPAT	AND	ON	2008/05/05 16:34
L3	2	L2 (timed)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:34
S1	0	(timed text display communications device controlling subscriber identity module sim application specifying minimum duration must displayed lapse prior permitting clear setting value data object command displaying receiving specified elapsed executing parameter disregarding following letters numbers words icons images pictures readable medium executed perform apparatus memory configured store specify presenting receive execute disregard).cm.	US-PGPUB	AND	ON	2008/05/05 16:04
S2	8	US-20040012615-A1.did. OR US-20040049533-A1.did. OR US-20040049419-A1.did. OR US-20040080538-A1.did. OR US-20040192386-A1.did. OR US-20040192281-A1.did. OR US-20040253975-A1.did. OR US-20060107227-A1.did.	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S4	0	S2 timed text display ((subscriber adj identity adj module) OR (sim)) application specifying duration displayed prior permitting clear setting value data object command displaying receiving specified elapsed executing parameter disregarding following letters numbers words icons images pictures readable medium executed perform apparatus memory configured store specify presenting	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S5	0	S2 ((subscriber adj identity adj module) OR (sim)) (text with duration) display\$3 tim\$3	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S6	0	S2 ((subscriber adj identity adj module) OR (sim)) (text with (duration with tim\$3)) display\$3	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S7	0	S2 ((subscriber adj identity adj module) OR (sim)) (text with (duration or tim\$3)) display\$3	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S8	353	((subscriber adj identity adj module) OR (sim)) ((text with (duration or tim\$3)) same display\$3)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04

S9	82	((subscriber adj identity adj module) or (sim adj module)) (((text with (duration or tim\$3)) same display\$3)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S10	19	((subscriber adj identity adj module) or (sim adj module)) (((text with (duration or tim\$3)) same display\$3) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S11	16	((subscriber adj identity adj module) or (sim adj module)) (((text with (duration or tim\$3)) same display\$3) @ad<"20030721" (message)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S12	7	((subscriber adj identity adj module) or (sim adj module)) (((text with (duration or tim\$3)) same display\$3) @ad<"20030721" (message)	US-PGPUB	AND	ON	2008/05/05 16:04
S13	60	((subscriber adj identity adj module) or (sim adj module)) (((message or text)with (duration or tim\$3)) same display\$3) @ad<"20030721"	US-PGPUB	AND	ON	2008/05/05 16:04
S14	29	((subscriber adj identity adj module) or (sim adj module)) (((message or text) near3 (duration or tim\$3)) same display \$3) @ad<"20030721"	US-PGPUB	AND	ON	2008/05/05 16:04
S15	10	((subscriber adj identity adj module) or (sim adj module)) (((message or text) near3 (duration or tim\$3)) with display\$3) @ad<"20030721"	US-PGPUB	AND	ON	2008/05/05 16:04
S16	0	((subscriber adj identity adj module) or (sim adj module)) (((message or text) near3 (duration)) with display\$3) @ad<"20030721"	US-PGPUB	AND	ON	2008/05/05 16:04
S17	0	((subscriber adj identity adj module) or (sim adj module)) (((message or text) with (duration)) with display\$3) @ad<"20030721"	US-PGPUB	AND	ON	2008/05/05 16:04
S18	1	((subscriber adj identity adj module) or (sim adj module)) (((message or text) with (duration)) same display\$3) @ad<"20030721"	US-PGPUB	AND	ON	2008/05/05 16:04
S19	16	((subscriber adj identity adj module) or (sim adj module)) (((message or text) with (duration))(display\$3) @ad<"20030721"	US-PGPUB	AND	ON	2008/05/05 16:04
S20	0	((subscriber adj identity adj module) or (sim adj module)) (((message or text) with (duration))) with clear\$3 (display\$3) @ad<"20030721"	US-PGPUB	AND	ON	2008/05/05 16:04
S21	1	((subscriber adj identity adj module) or (sim adj module)) (((message or text) with (duration)) same clear\$3) (display \$3) @ad<"20030721"	US-PGPUB	AND	ON	2008/05/05 16:04
S22	2	((subscriber adj identity adj module) or (sim)) (((message or text) with (duration)) same clear\$3) (display\$3) @ad<"20030721"	US-PGPUB	AND	ON	2008/05/05 16:04
S23	57	((subscriber adj identity adj module) or (sim)) (((message or text) with (duration)) @ad<"20030721"	US-PGPUB	AND	ON	2008/05/05 16:04

S24	0	((subscriber adj identity adj module) or (sim)) ((message or text) with (duration)) ((DISPLAY adj TEXT) with command) @ad<"20030721"	US-PGPUB	AND	ON	2008/05/05 16:04
S25	0	((subscriber adj identity adj module) or (sim)) ((message or text) same (duration)) ((DISPLAY adj TEXT) with command) @ad<"20030721"	US-PGPUB	AND	ON	2008/05/05 16:04
S26	1	((subscriber adj identity adj module) or (sim)) ((message or text) same (duration)) ((DISPLAY adj TEXT) with command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S27	10	((subscriber adj identity adj module) or (sim)) ((message or text) same (duration)) (DISPLAY adj TEXT) (command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S28	10	((subscriber adj (identity or identifier) adj module) or (sim)) ((message or text) same (duration)) (DISPLAY adj TEXT) (command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S29	2	((subscriber adj (identity or identifier) adj module) or (sim)) ((message or text) same (duration)) (DISPLAY adj TEXT) (display with command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S30	2	((subscriber adj (identity or identifier) adj module) or (sim)) ((message or text)) (duration with display) (DISPLAY adj TEXT) (display with command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S31	2	((subscriber adj (identity or identifier) adj module) or (sim)) ((message or text)) (duration with display\$3) (DISPLAY adj TEXT) (display with command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S32	0	((subscriber adj (identity or identifier) adj module) or (sim)) ((message or text)) (duration with display\$3) ((DISPLAY adj TEXT) adj command) (display with command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S33	1	((subscriber adj (identity or identifier) adj module) or (sim)) (duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S34	2	((duration)) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S35	2	(user duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S36	2	(user duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S37	6	((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S38	4607	((DISPLAY adj TEXT) command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S39	14	((DISPLAY adj TEXT) command) GSM (GET adj INPUT) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S40	14	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04

S41	14	((DISPLAY adj TEXT) command GSM (GET adj INPUT) user display\$3 @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S42	14	((DISPLAY adj TEXT) command GSM (GET adj INPUT) user display\$3 @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S43	14	((DISPLAY adj TEXT) command GSM (GET adj INPUT) user display\$3 (text or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:04
S44	0	((DISPLAY adj TEXT) command GSM (GET adj INPUT) user display\$3 duration @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S45	9	((DISPLAY adj TEXT) command GSM (GET adj INPUT) user display\$3 duration @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S46	1	((DISPLAY adj TEXT) command GSM (GET adj INPUT) user display\$3 (duration same display\$3) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S47	9	((DISPLAY adj TEXT) command GSM (GET adj INPUT) user display\$3 duration @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S48	12	((DISPLAY adj TEXT) command GSM display \$3 with duration @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S49	12	((DISPLAY adj TEXT) command GSM (display\$3 with duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S50	0	((DISPLAY adj TEXT) same2 command) GSM (display\$3 with duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S51	0	((DISPLAY adj TEXT) same2 command) SIM (display\$3 with duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S52	0	((DISPLAY adj TEXT) same2 command) (SIM with application) (display\$3 with duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S53	0	((DISPLAY adj TEXT) same command) (SIM with application) (display\$3 with duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S54	0	((DISPLAY adj TEXT) same command) (SIM with application) (display\$3 same duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S55	0	((DISPLAY adj TEXT) command) (SIM with application) (display\$3 same duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S56	5	((DISPLAY adj TEXT) command) (SIM with application) (display\$3 duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S57	2	((DISPLAY adj TEXT) with command) (SIM with application) (display\$3 duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S58	0	((DISPLAY adj TEXT) with command) (SIM with application) (display\$3 duration) "Phase 2" @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S59	2	((DISPLAY adj TEXT) with command) (SIM with application) (display\$3 duration) "Phase 2+" @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05

S60	7	((DISPLAY adj TEXT) command) (SIM with application) (display\$3) "Phase 2+ " @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S61	7	((DISPLAY adj TEXT) command) (SIM with application) (display\$3) "Phase 2+ " "text" @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S62	7	((DISPLAY adj TEXT) command) (SIM with application) (display\$3) "Phase 2+ " ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S63	3	((DISPLAY adj TEXT) command) (SIM with application) (display\$3).ab. (display\$3) "Phase 2+ " ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S64	0	((DISPLAY adj TEXT) command) (SIM with application) modal (display\$3).ab. (display \$3) "Phase 2+ " ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S65	0	((DISPLAY adj TEXT) command) (SIM with application) modal (display\$3) "Phase 2 + " ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S66	0	((DISPLAY adj TEXT) command) (SIM with application) modal (display\$3) ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S67	38	((DISPLAY adj TEXT) command) (SIM with application) (display\$3) ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S68	10	((DISPLAY adj TEXT) command) (SIM with application) (display\$3) ("text" or message) clear @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S69	84	((DISPLAY adj TEXT) command) ((subscriber adj identity adj module) or (sim)) (display\$3) ("text" or message) clear @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S70	6	((DISPLAY adj TEXT) command) ((subscriber adj identity adj module) or (sim)) (display\$3) ("text" or message) clear modal @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S71	0	((DISPLAY adj TEXT) command) ((subscriber adj identity adj module) or (sim)) (display\$3) ("text" or message) (clear adj text) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S72	2	((DISPLAY adj TEXT) command) ((subscriber adj identity adj module) or (sim)) (duration with text) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S73	0	((DISPLAY adj TEXT) OR displaytext) (command) ((subscriber adj identity adj module) or (sim)) (duration with text) (SELECT adj ITEM) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S74	0	((DISPLAY adj TEXT) OR displaytext) (command) ((subscriber adj identity adj module) or (sim)) (duration with text) (SELECT adj ITEM) (GET adj INPUT) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S75	10	((DISPLAY adj TEXT) OR displaytext) (command) ((subscriber adj identity adj module) or (sim)) (SELECT adj ITEM) (GET adj INPUT) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05

S76	1	((subscriber adj (ident\$6 or identifier) adj module) or (sim)) (duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S77	1	((subscriber adj (ident\$6) adj module) or (sim)) (duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S79	1	((subscriber\$6 adj (ident\$6) adj module) or (SIM.u/c.)) (duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S80	5	(usim near application) "display text"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S81	5	((PROACTIVE adj UICC) or (UICC adj commands) or (usim near application)) (display adj text)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S82	5	((PROACTIVE adj UICC) or (UICC adj command) or (UICC adj commands) or (usim near application)) (display adj text)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S83	43	((PROACTIVE adj UICC) or (UICC adj command) or (UICC adj commands) or (usim near application) or (SIM adj Application adj Toolkit)) (display adj text)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S84	5	((PROACTIVE adj UICC) or (UICC adj command) or (UICC adj commands) or (usim near application) or (SIM adj Application adj Toolkit)) (display adj text) duration	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S85	0	((PROACTIVE adj UICC) or (UICC adj command) or (UICC adj commands) or (usim near application) or (SIM adj Application adj Toolkit)) (display adj text) (display with duration)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S86	533	(display adj text) (display with duration)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S87	0	(display adj text) (display with duration) ((PROACTIVE adj UICC) or (UICC adj command) or (UICC adj commands) or (usim near application) or (SIM adj Application))	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S88	0	(display adj text) (display with duration) ((PROACTIVE adj UICC) or (UICC adj command) or (UICC adj commands) or (usim near application) or (SIM adj module))	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S89	3	(display adj text) (display with (duration or timer or counter)) ((PROACTIVE adj UICC) or (UICC adj command) or (UICC adj commands) or (usim near application) or (SIM adj module))	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S90	0	(display adj text) (display with (duration or timer or counter)) ((PROACTIVE adj UICC) or (UICC adj command) or (UICC adj commands) or (usim near application) or (SIM adj module)) modal	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S91	283	((subscriber adj (identity or identifier) adj module) or (sim)) (DISPLAY adj TEXT) @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05

S92	276	((subscriber adj (identity or identifier) adj module) or (sim)) (DISPLAY adj TEXT) (Duration or period or continuance or continuation or contin\$5 or period or fixed or persist\$5 or time or timed) @AD< "20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S93	135	((subscriber adj (identity or identifier) adj module) or (sim)) (DISPLAY adj TEXT) (display with (Duration or period or continuance or continuation or contin\$5 or period or fixed or persist\$5 or time or timed)) @AD< "20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S94	122	((subscriber adj (identity or identifier) adj module) or (sim)) (DISPLAY adj TEXT) (display\$3 near\$5 (Duration or period or continuance or continuation or contin\$5 or period or fixed or persist\$5 or time or timed)) @AD< "20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S95	55	((subscriber adj (identity or identifier) adj module) or (sim)) (DISPLAY adj TEXT) (user with clear) @AD< "20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S96	8	GET ADJ IN KEY	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S97	17	((subscriber adj (identity or identifier) adj module) or (sim)) (minimum ADJ duration) @ad< "20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S98	103474	SIM APPLICATION	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/05 16:05
S99	426	SIM ADJ APPLICATION	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/05 16:05
S100	233	(SIM ADJ APPLICATION) @AD< "20030721"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/05 16:05
S101	202	(SIM ADJ APPLICATION) @AD< "20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S102	99	(SIM ADJ APPLICATION) @AD< "20030721" TEXT	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S103	86	(SIM ADJ APPLICATION) @AD< "20030721" TEXT DISPLAY\$3	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S104	24	(SIM ADJ APPLICATION) @AD< "20030721" TEXT DISPLAY\$3 CLEAR	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S105	39	(SIM ADJ APPLICATION) @AD< "20030721" TEXT NOTIFICATION	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S106	4	(SIM ADJ APPLICATION) @AD< "20030721" TEXT WITH NOTIFICATION	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05

S107	283	sim @AD<"20030721" (DISPLAY adj TEXT)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S108	54	(SIM with APPLICATION) @AD<"20030721" (DISPLAY adj TEXT)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S109	22	(proactive with sim) @AD<"20030721" (DISPLAY adj TEXT)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S110	55	(sim) @AD<"20030721" (DISPLAY adj TEXT) (user with clear)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S111	2	(sim with application) @AD<"20030721" (DISPLAY TEXT).ti.ab.	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S112	159	(sim with application) @AD<"20030721" ((displayed or tim\$3) with text)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S113	117	(sim with application) @AD<"20030721" ((displayed or tim\$3) with text) phone	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S114	1	(sim with application) @AD<"20030721" (display\$3 with duration) phone	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S115	2	(sim with application) @AD<"20030721" (display\$3 with period) phone	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S116	13	(sim with application) @AD<"20030721" (display\$3 with until) phone	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S117	1134	((((subscriber adj (identity or identifier) adj module) or (sim)) with application) @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S118	1134	((((subscriber adj (identity or identifier) adj module) or (sim)) with application) @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S119	19	((((subscriber adj (identity or identifier) adj module) or (sim)) with application) @AD<"20030721" (clear\$3 with text)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S120	2	((((subscriber adj (identity or identifier) adj module) or (sim)) with application) @AD<"20030721" (display\$3 with timer)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S121	9	((((subscriber adj (identity or identifier) adj module) or (sim)) with application) @AD<"20030721" (timer same text)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S122	50	((((subscriber adj (identity or identifier) adj module) or (sim)) with application) @AD<"20030721" (timer same expir\$3)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S123	15	((((usim)) with application) @AD<"20030721" (timer)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S124	0	PROACTIVE with UI CC @AD<"20030721" (timer)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S125	1	PROACTIVE with UI CC @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S126	135	PROACTIVE sim @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S127	65	(SIM adj toolkit) display text @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S128	22	(SIM adj toolkit) display adj text @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05

S129	118	(\$SIM adj (toolkit or application)) display text @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S130	36	(\$SIM adj (toolkit or application)) display adj text @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S131	10	("5404580" "5630159" "5633484" "5999827").PN. OR ("6178324").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/05/05 16:05
S132	39	(\$SIM adj (toolkit or application or module)) display adj text @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S133	1	(\$SIM adj (toolkit or application or module)) display adj text @AD<"20030721" (user with clear)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S134	1	(\$SIM adj (toolkit or application or module)) display adj text @AD<"20030721" (cleared)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S135	108	((((subscriber adj (identity or identifier) adj module) or (sim)) adj toolkit) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S136	1	((((subscriber adj (identity or identifier) adj module) or (sim)) adj toolkit) @ad<"20030721" "379/433.09".ccls.	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S137	108	((((subscriber adj (identity or identifier) adj module) or (sim)) adj toolkit) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S138	22	((((subscriber adj (identity or identifier) adj module) or (sim)) adj toolkit) @ad<"20030721" (display adj text)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S139	32	((((subscriber adj (identity or identifier) adj module) or (sim)) adj (toolkit or (application adj toolkit))) @ad<"20030721" (display adj text)	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S140	10	S139 not S138	US-PGPUB; USPAT	AND	ON	2008/05/05 16:05
S141	441	715/866.ccls.	US-PGPUB; USPAT	AND	ON	2008/05/05 16:13
S142	349	715/808.ccls.	US-PGPUB; USPAT	AND	ON	2008/05/05 16:17
S143	0	715/866.ccls. (timed text subscriber identity module sim m duration data object command parameter)..clm.	US-PGPUB; USPAT	AND	ON	2008/05/05 16:20
S144	0	(timed text display communications device controlling subscriber identity module sim application specifying minimum duration must displayed lapse prior permitting clear setting value data object command displaying receiving specified elapsed executing parameter disregarding following letters numbers words icons images pictures readable medium executed perform apparatus memory configured store specify presenting receive execute disregard).clm. 715/808.ccls.	US-PGPUB	AND	ON	2008/05/05 16:20

S145	0	715/808.cds. (timed text display communications device controlling subscriber identity module sim application specifying minimum duration must displayed lapse prior permitting clear setting value data object command displaying receiving specified elapsed executing parameter disregarding following letters numbers words icons images pictures readable medium executed perform apparatus memory configured store specify presenting receive execute disregard).clm.	US-PGPUB	AND	ON	2008/05/05 16:21
------	---	---	----------	-----	----	---------------------

5/ 5/ 2008 4:38:23 PM

C:\Documents and Settings\STermanini\My Documents\EAST\Workspaces\10 Series\10_623_950_2.wsp